

PACKAGING LIST



CONTENTS

BOX INFO	3
VALVES	4
BUTTERFLY VALVE GROOVED END	4
BUTTERFLY VALVE WAFER END	4
OS&Y FLANGED GATE VALVE	4
GROOVED CHECK VALVE	5
FLANGED CHECK VALVE	5
DOUBLE DOOR WAFER CHECK VALVE	5
WET ALARM VALVE FLANGED WITH TRIM	6
WET ALARM VALVE GROOVED WITH TRIM	6
MOTOR GONG FOR ALARM VALVES	6
VALVE PARTS	6
PROFLEX SPRINKLER HOSES	7
FLEXIBLE HOSE SETS	7
FLEXIBLE HOSE PARTS	7
COUPLINGS & FITTINGS	8
ANGLE-PAD RIGID COUPLING	8
GROOVED RIGID COUPLING	8
GROOVED FLEXIBLE COUPLING	9
GROOVED RIGID COUPLING ANGLE-PAD	9
REDUCING COUPLING WITH STEEL RING	10
U-BOLT SPRINKLER TEE THREADED BSPT OUTLET	10
FULL CASTING SPRINKLER TEE THREADED BSPT OUTLET	11
MECHANICAL TEE GROOVED OUTLET	12
MECHANICAL TEE THREADED BSPT OUTLET	13
GROOVED ELBOW 11,25°	14
GROOVED ELBOW 22,50°	14
GROOVED ELBOW 45°	15
GROOVED ELBOW 90°	15
GROOVED REDUCING ELBOW 90°	16
GROOVED DRAIN ELBOW 90°	16
GROOVED EQUAL TEE	17
GROOVED EQUAL CROSS	17
GROOVED CONCENTRIC REDUCER	18
THREADED CONCENTRIC REDUCTION	19
GROOVED REDUCING TEE	20
THREADED REDUCING TEE	21
GROOVED END CAP	22
GROOVED END CAP WITH ECCENTRIC HOLE, THREADED BSPT OUTLET	22
GROOVED ADAPTER FLANGE	23
GROOVED SPLIT ADAPTER FLANGE	23
GROOVED THREADED ADAPTER, MALE THREAD BSPT	24
GROOVED THREADED ADAPTER, FEMALE THREAD BSPT	24
ACCESSORIES	25
LUBRICANT	25
GROOVE METER	25
GLOVES	25
CENTER PUNCH TOOL	25
PRESSURE GAUGE	25

BOX INFO

FULL BOX 1/1



Full box dimensions: 110 x 80 x 75 cm | **Tare weight box:** 45 kg | **Maximum weight:** 800 kg
Cardboard planks are used to make the layers of the mixed boxes

CARDBOARD BOXES



VALVES

BUTTERFLY VALVE GROOVED END



General data				Full box	
Reference	mm	DN	Weight/pc kg	Pcs	Weight kg
	GBV2	60,3	50		
GBV2½	73,0 / 76,1	65	8,00	40	320
GBV3	88,9	80	8,50	30	255
GBV4	114,3	100	11,00	26	286
GBV5	139,7 / 141,3	125	13,50	24	324
GBV6	165,1 / 168,3	150	18,00	16	288
GBV8	219,1	200	28,50	10	285

BUTTERFLY VALVE WAFER END



General data			Full box	
Reference	DN	Weight/pc kg	Pcs	Weight kg
	WBV2	50		
WBV2½	65	8,00	40	320
WBV3	80	8,50	40	340
WBV4	100	11,00	30	330
WBV5	125	14,50	24	348
WBV6	150	15,00	18	270
WBV8	200	29,50	12	354

OS&Y FLANGED GATE VALVE



General data				Full box		
Reference	mm	DN	Weight/pc kg	Pcs	Weight kg	Box dimensions mm
	FGOSY4	229 / 9,0	100			
FGOSY6	267 / 10,5	150	52,00	9	468	98 x 97 x 89
FGOSY8	292 / 11,5	200	79,00	6	474	112 x 78 x 106
FGOSY10	330 / 13,0	250	116,50	2	233	116 x 84 x 57
FGOSY12	356 / 14,0	300	162,00	2	324	136 x 86 x 62

VALVES

GROOVED CHECK VALVE



General data				Full box	
Reference	mm		Weight/pc kg	Pcs	Weight kg
		DN			
GCV2	190 / 7,50	50	2,70	132	356,4
GCV2½	203 / 8,00	65	3,90	106	413,4
GCV3	213 / 8,38	80	5,00	93	465,0
GCV4	245 / 9,65	100	9,30	54	502,2
GCV5	267 / 10,50	125	15,50	30	465,0
GCV6	292 / 11,50	150	19,50	30	585,0
GCV8	356 / 14,00	200	34,50	12	414,0
GCV10	432 / 17,00	200	44,00	6	264,0
GCV12	495 / 19,50	200	94,00	6	564,0

FLANGED CHECK VALVE



General data				Full box		
Reference	mm		Weight/pc kg	Pcs	Weight kg	Box dimensions mm
		DN				
FCV3	279 / 11,0	80	24,00	16	384,0	
FCV4	330 / 13,0	100	30,00	16	480,0	
FCV6	406 / 16,0	150	62,50	5	312,5	
FCV8	495 / 19,5	200	103,00	4	412,0	
FCV10	559 / 22,0	250	154,00	2	300,0	
FCV12	660 / 26,0	300	241,00	2	482,0	80 x 110 x 80

DOUBLE DOOR WAFER CHECK VALVE



General data				Full box	
Reference	mm		Weight/pc kg	Pcs	Weight kg
		DN			
WCV-16-4	161 / 64	100	4,00	120	480
WCV-16-6	217 / 76	150	7,25	64	464
WCV-16-8	272 / 95	200	13,00	40	520
WCV-16-10	327 / 108	250	20,00	20	400
WCV-16-12	382 / 143	300	31,00	14	434

VALVES

WET ALARM VALVE FLANGED WITH TRIM



General data			
Reference	mm	DN	Weight/pc kg
	FACV4	270	100
FACV6	340	150	54 + 8,5
FACV8	432	200	84 + 8,5

Full box		
Pcs	Weight kg	Box dimensions mm
4	158	118 x 82 x 83
2	250	124 x 89 x 93
2	186	124 x 78 x 61

*Retard chamber = 8,5 kg

WET ALARM VALVE GROOVED WITH TRIM




General data			
Reference	mm	DN	Weight/pc kg
	GACV4	270	100
GACV6	340	150	44 + 8,5*
GACV8	432	200	70 + 8,5*

Full box		
Pcs	Weight kg	Box dimensions mm
4	130	150 x 109 x 59
2	105	119 x 84 x 63
2	157	119 x 84 x 63

*Retard chamber = 8,5 kg

MOTOR GONG FOR ALARM VALVES



General data	
Reference	Weight/pc kg
WMG	2,27

Full box	
Pcs	Weight kg
/	/

VALVE PARTS

VALVE PARTS ARE AVAILABLE UPON REQUEST

PROFLEX: SPRINKLER HOSES

FLEXIBLE HOSE SETS






General data: set unbraided flexible hoses and components

Reference	Hoses	Hose size mm	Hose internal diameter	Outlet-nipple (sprinkler connection)	Sets/box	Box dimensions mm	Weight/box	Sets/pallet	Weight/pallet	Pallet dimensions mm
PFUH1000M34BSPT12SET	Unbraided	1000	26mm	1/2"	20	1030 x 205 x 195	22kg	500	565kg	1060 x 1130 x 1140
PFBH1000M34BSPT12SET	Braided	1000	26mm	1/2"	20	1230 x 205 x 195	23,5kg	500	605kg	1260 x 1130 x 1140
PFUH1200M34BSPT12SET	Unbraided	1200	26mm	1/2"	20	1530 x 205 x 195	24,5kg	500	681kg	1560 x 1130 x 1140
PFBH1200M34BSPT12SET	Braided	1200	26mm	1/2"	20	1030 x 205 x 195	26,5kg	500	720kg	1060 x 1130 x 1140
PFUH1500M34BSPT12SET	Unbraided	1500	26mm	1/2"	20	1230 x 205 x 195	28,5kg	500	730kg	1260 x 1130 x 1140
PFBH1500M34BSPT12SET	Braided	1500	26mm	1/2"	20	1530 x 205 x 195	30,5kg	500	786kg	1560 x 1130 x 1140

Proflex sets are sold per set of 20 pieces.
Sets contain flexible hoses (3 sizes available, nipples, brackets, bars, brackets and reducers (2 sizes of reducers available).

FLEXIBLE HOSE PARTS

Image	General data components					
	Description	Reference	Pcs/box	Weight/pcs	Weight/box	Box dimensions mm
	Reducer 3/4	PF-STR-NPT-3/4M34P	80	0,234kg	18,72kg	243 x 370 x 200
	Elbow Reducer 110mm NPT 1/2	PF-ELR-110	60	0,402kg	25kg	340 x 310 x 130
	Elbow Reducer 110mm NPT 3/4	PF-ELR-110-3/4	20	0,402kg	8kg	350 x 180 x 120
	Elbow Reducer 155mm NPT 1/2	PF-ELR-155	42	0,507kg	22kg	340 x 310 x 130
	Elbow Reducer 155mm NPT 3/4	PF-ELR-155-3/4	20	0,507kg	11kg	350 x 210 x 120

GROOVED PRODUCTS

ANGLE PAD RIGID COUPLING



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GKAR1	GKAG1	33,7	0,55	1200	660	50
	GKAR1¼	GKAG1¼	42,4	0,61	1200	732	
	GKAR1½	GKAG1½	48,3	0,64	1200	768	
	GKAR2	GKAG2	60,3	0,78	864	674	
	GKAR73	GKAG73	73,0	0,88	720	662	
	GKAR2½	GKAG2½	76,1	0,88	720	634	
	GKAR3	GKAG3	88,9	1,02	600	612	
	GKAR4	GKAG4	114,3	1,37	363	497	
	GKAR5	GKAG5	139,7	1,88	264	496	
	GKAR141	GKAG141	141,3	2,15	264	507	
	GKAR165	GKAG165	165,1	2,48	198	447	
	GKAR6	GKAG6	168,3	2,22	198	440	
	GKAR8	GKAG8	219,1	4,42	90	398	
	GKAR10	GKAG10	273,0	8,00	54	432	
	GKAR12	GKAG12	323,9	11,05	36	398	
	GKAR14*	GKAG14*	355,6	14,50	30	435	
GKAR16*	GKAG16*	406,4	15,50	20	310		

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED RIGID COUPLING



Image	Reference			General data		Full box		Cardboard box
	Red	Galva	White	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GKSR1	GKSG1	GKSW1	33,7	0,45	1.200	540	50
	GKSR1¼	GKSG1¼	GKSW1¼	42,4	0,50	1.300	702	
	GKSR1½	GKSG1½	GKSW1½	48,3	0,53	1.200	672	
	GKSR2	GKSG2	GKSW2	60,3	0,67	864	613	
	GKSR2½	GKSG2½	GKSW2½	76,1	0,79	720	569	
	GKSR3	GKSG3	GKSW3	88,9	0,95	600	570	
	GKSR4	GKSG4	GKSW4	114,3	1,42	363	515	
	GKSR5	GKSG5	GKSW5	139,7	1,78	264	470	
	GKSR6	GKSG6	GKSW6	168,3	2,11	198	418	
	GKSR8	GKSG8	GKSW8	219,1	3,90	100	390	
	GKSR10	GKSG10	GKSW10	273,0	6,18	54	334	
	GKSR12	GKSG12*	not available	323,9	8,56	45	387	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm / 216mm / 318mm.

GROOVED PRODUCTS

GROOVED FLEXIBLE COUPLING



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GKFR1	GKFG1	33,7	0,44	1.200	528	50
	GKFR1¼	GKFG1¼	42,4	0,50	1.300	650	
	GKFR1½	GKFG1½	48,3	0,54	1.200	648	
	GKFR2	GKFG2	60,3	0,68	864	588	
	GKFR2½	GKFG2½	76,1	0,79	720	569	
	GKFR3	GKFG3	88,9	0,96	600	576	
	GKFR4	GKFG4	114,3	1,39	363	505	
	GKFR5	GKFG5	139,7	1,92	264	507	
	GKFR6	GKFG6	168,3	2,12	198	420	
	GKFR8	GKFG8	219,1	3,82	100	382	
	GKFR10	GKFG10	273,0	6,52	54	352	
	GKFR12	GKFG12*	323,9	8,55	45	385	
	GKFR18*	GKFG18*	457,2	19,00	20	380	
	GKFR20*	GKFG20*	508,0	26,00	20	520	
	GKFR22*	GKFG22*	558,8	29,05	15	436	
	GKFR24*	GKFG24*	609,6	32,50	15	488	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm / 216mm / 267mm / 318mm / 480mm.

GROOVED RIGID COUPLING ANGLE-PAD ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GKSHR2	GKSHG2	60,3	0,85	/	/
	GKSHR2½	GKSHG2½	76,1	1,10	/	/
	GKSHR3	GKSHG3	88,9	1,23	/	/
	GKSHR4	GKSHG4	114,3	1,82	200	364
	GKSHR5	GKSHG5	139,7	2,60	/	/
	GKSHR6	GKSHG6	168,3	2,95	100	295
	GKSHR8	GKSHG8	219,1	6,80	60	408

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED PRODUCTS

REDUCING COUPLING WITH STEEL RING ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GRKFR1½-1¼	GRKFG1½-1¼	48,3 x 42,4	0,70	1200	840
	GRKFR2-1½	GRKFG2-1½	60,3 x 48,3	0,83	864	717
	GRKFR2½-1¼	GRKFG2½-1¼	76,1 x 42,4	1,23	720	886
	GRKFR2½-1½	GRKFG2½-1½	76,1 x 48,3	1,13	720	814
	GRKFR2½-2	GRKFG2½-2	76,1 x 60,3	0,98	720	706
	GRKFR3-1	GRKFG3-1	88,9 x 33,7	1,65	480	792
	GRKFR3-1¼	GRKFG3-1¼	88,9 x 42,4	1,55	480	744
	GRKFR3-1½	GRKFG3-1½	88,9 x 48,3	1,60	480	768
	GRKFR3-2	GRKFG3-2	88,9 x 60,3	1,40	480	672
	GRKFR3-2½	GRKFG3-2½	88,9 x 76,1	1,38	516	712
	GRKFR4-2	GRKFG4-2	114,3 x 60,3	2,45	360	882
	GRKFR4-2½	GRKFG4-2½	114,3 x 76,1	2,45	264	647
	GRKFR4-3	GRKFG4-3	114,3 x 88,9	2,10	115	242
	GRKFR6-3	GRKFG6-3	168,3 x 88,9	4,58	42	192
	GRKFR6-4	GRKFG6-4	168,3 x 114,3	4,20	42	176
	GRKFR8-4	GRKFG8-4	219,1 x 114,3	8,40	60	504
GRKFR8-6	GRKFG8-6	219,1 x 168,3	7,10	60	426	

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

U-BOLT SPRINKLER TEE THREADED BSPT OUTLET



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GSTR1-½	GST1-½	33,7 x 21,3	0,18	2400	432	90
	GSTR1-¾*	GST1-¾*	33,7 x 26,9	0,24	2400	576	90
	GSTR1¼-½	GST1¼-½	42,4 x 21,3	0,41	1200	492	50
	GSTR1¼-¾	GST1¼-¾	42,4 x 26,9	0,43	1200	516	50
	GSTR1¼-1	GST1¼-1	42,4 x 33,7	0,43	1080	464	45
	GSTR1½-½	GST1½-½	48,3 x 21,3	0,41	1320	541	55
	GSTR1½-¾	GST1½-¾	48,3 x 26,9	0,42	1320	554	55
	GSTR1½-1	GST1½-1	48,3 x 33,7	0,45	1200	540	50
	GSTR2-½	GST2-½	60,3 x 21,3	0,42	1320	554	55
	GSTR2-¾	GST2-¾	60,3 x 26,9	0,44	1200	528	50
	GSTR2-1	GST2-1	60,3 x 33,7	0,44	1200	528	50
	GSTR2½-½*	GST2½-½*	76,1 x 21,3	0,58	960	557	/
	GSTR2½-¾*	GST2½-¾*	76,1 x 26,9	0,58	960	557	/
	GSTR2½-1*	GST2½-1*	76,1 x 33,7	0,60	1008	605	42
	GSTR3-1*	GST3-1*	88,9 x 33,7	0,60	768	461	32

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm.

GROOVED PRODUCTS

FULL CASTING SPRINKLER TEE THREADED BSPT OUTLET



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GSTFCR1-1/2*	GSTFCG1-1/2*	33,7 - 21,3	0,28	/	/	/
	GSTFCR11/4-1/2	GSTFCG11/4-1/2	42,4 - 21,3	0,42	1200	504	50
	GSTFCR11/4-3/4	GSTFCG11/4-3/4	42,4 - 26,9	0,46	1200	552	50
	GSTFCR11/4-1	GSTFCG11/4-1	42,4 - 33,7	0,50	1080	540	45
	GSTFCR11/2-1/2	GSTFCG11/2-1/2	48,3 - 21,3	0,44	1080	475	45
	GSTFCR11/2-3/4	GSTFCG11/2-3/4	48,3 - 26,9	0,44	1080	475	45
	GSTFCR11/2-1	GSTFCG11/2-1	48,3 - 33,7	0,52	1080	562	45
	GSTFCR2-1/2	GSTFCG2-1/2	60,3 - 21,3	0,64	768	492	32
	GSTFCR2-3/4	GSTFCG2-3/4	60,3 - 26,9	0,68	768	522	32
	GSTFCR2-1	GSTFCG2-1	60,3 - 33,7	0,72	720	518	30
	GSTFCR21/2-1/2	GSTFCG21/2-1/2	76,1 - 21,3	0,76	576	438	24
	GSTFCR21/2-3/4	GSTFCG21/2-3/4	76,1 - 26,9	0,79	576	455	24
	GSTFCR21/2-1	GSTFCG21/2-1	76,1 - 33,7	0,88	528	465	22

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm.

GROOVED PRODUCTS

MECHANICAL TEE GROOVED OUTLET



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GMGR2-1*	GMGR2-1*	60,3 x 33,7	0,90	772	695
	GMGR2-1¼	GMGG2-1¼	60,3 x 42,4	0,91	772	695
	GMGR2-1½	GMGG2-1½	60,3 x 48,3	0,94	744	707
	GMGR2½-1¼	GMGG2½-1¼	76,1 x 42,4	1,02	700	735
	GMGR2½-1½	GMGG2½-1½	76,1 x 48,3	1,07	670	717
	GMGR2½-2*	GMGR2½-2*	76,1 x 60,3	1,18	637	752
	GMGR3-1¼	GMGG3-1¼	88,9 x 42,4	1,12	546	620
	GMGR3-1½	GMGG3-1½	88,9 x 48,3	1,14	546	639
	GMGR3-2	GMGG3-2	88,9 x 60,3	1,35	540	729
	GMGR4-1*	GMGR4-1*	114,3 x 33,7	1,48	468	655
	GMGR4-1¼	GMGG4-¼	114,3 x 42,4	1,37	468	655
	GMGR4-1½	GMGG4-1½	114,3 x 48,3	1,41	416	632
	GMGR4-2	GMGG4-2	114,3 x 60,3	1,53	360	612
	GMGR4-2½	GMGG4-2½	114,3 x 76,1	1,86	336	638
	GMGR4-3	GMGG4-3	114,3 x 88,9	2,04	275	578
	GMGR5-1½*	GMGR5-1½*	139,7 x 48,3	2,00	300	600
	GMGR5-2	GMGG5-2	139,7 x 60,3	1,96	300	660
	GMGR5-2½	GMGG5-2½	139,7 x 76,1	2,44	250	613
	GMGR5-3*	GMGR5-3*	139,7 x 88,9	3,24	210	680
	GMGR6-1¼	GMGG6-1¼	168,3 x 42,4	2,51	290	699
GMGR6-1½	GMGG6-1½	168,3 x 48,3	2,53	264	636	
GMGR6-2	GMGG6-2	168,3 x 60,3	2,54	231	582	
GMGR6-2½	GMGG6-2½	168,3 x 76,1	2,87	200	600	
GMGR6-3	GMGG6-3	168,3 x 88,9	3,00	190	585	
GMGR6-4	GMGG6-4	168,3 x 114,3	3,47	144	504	
GMGR8-2*	GMGR8-2*	219,1 x 60,3	3,47	135	406	
GMGR8-2½	GMGG8-2½	219,1 x 76,1	3,93	130	593	
GMGR8-3	GMGG8-3	219,1 x 88,9	4,13	108	502	
GMGR8-4*	GMGR8-4*	219,1 x 114,3	5,30	150	795	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 114,3mm / 139,7mm / 141,3mm / 165,1mm / 168,3mm / 219,1mm.

GROOVED PRODUCTS

MECHANICAL TEE THREADED BSPT OUTLET



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GMDR2-1¼	GMDG2-1¼	60,3 x 42,4	0,86	768	645
	GMDR2-1½	GMDG2-1½	60,3 x 48,3	0,95	672	625
	GMDR2½-1¼	GMDG2½-1¼	76,1 x 42,4	0,96	765	704
	GMDR2½-1½	GMDG2½-1½	76,1 x 48,3	0,99	680	660
	GMDR2½-2*	GMDG2½-2*	76,1 x 60,3	1,20	680	816
	GMDR3-½*	GMDG3-½*	88,9 x 21,3	0,88	750	660
	GMDR3-¾*	GMDG3-¾*	88,9 x 26,9	0,88	675	594
	GMDR3-1	GMDG3-1	88,9 x 33,7	0,99	750	773
	GMDR3-1¼	GMDG3-1¼	88,9 x 42,4	1,04	672	712
	GMDR3-1½	GMDG3-1½	88,9 x 48,3	1,10	672	759
	GMDR3-2	GMDG3-2	88,9 x 60,3	1,23	540	664
	GMDR3-2½*	GMDG3-2½*	88,9 x 76,1	1,90	540	1026
	GMDR4-½*	GMDG4-½*	114,3 x 21,3	1,44	540	779
	GMDR4-¾*	GMDG4-¾*	114,3 x 26,9	1,44	540	779
	GMDR4-1	GMDG4-1	114,3 x 33,7	1,22	540	664
	GMDR4-1¼	GMDG4-1¼	114,3 x 42,4	1,24	540	686
	GMDR4-1½	GMDG4-1½	114,3 x 48,3	1,31	480	624
	GMDR4-2	GMDG4-2	114,3 x 60,3	1,40	420	575
	GMDR4-2½	GMDG4-2½	114,3 x 76,1	1,96	300	600
	GMDR4-3*	GMDG4-3*	114,3 x 88,9	1,98	200	396
	GMDR5-1*	GMDG5-1*	139,7 x 33,7	1,61	364	619
	GMDR5-1¼*	GMDG5-1¼*	139,7 x 42,4	1,60	396	693
	GMDR5-1½*	GMDG5-1½*	139,7 x 48,3	1,70	396	701
	GMDR5-2*	GMDG5-2*	139,7 x 60,3	1,82	250	463
	GMDR5-2½*	GMDG5-2½*	139,7 x 76,1	2,60	250	650
	GMDR5-3*	GMDG5-3*	139,7 x 88,9	2,48	352	873
	GMDR6-1*	GMDG6-1*	168,3 x 33,7	2,16	300	648
	GMDR6-1¼	GMDG6-1¼	168,3 x 42,4	2,36	300	720
	GMDR6-1½	GMDG6-1½	168,3 x 48,3	2,36	240	581
	GMDR6-2	GMDG6-2	168,3 x 60,3	2,43	252	630
	GMDR6-2½	GMDG6-2½	168,3 x 76,1	2,34	200	604
	GMDR6-3*	GMDG6-3*	168,3 x 88,9	3,18	180	572
	GMDR6-4*	GMDG6-4*	168,3 x 114,3	4,70	180	846
	GMDR8-1*	GMDG8-1*	219,1 x 33,7	3,05	130	397
	GMDR8-1¼*	GMDG8-1¼*	219,1 x 42,4	3,10	150	465
	GMDR8-1½*	GMDG8-1½*	219,1 x 48,3	3,18	150	477
	GMDR8-2*	GMDG8-2*	219,1 x 60,3	3,25	135	439
	GMDR8-2½*	GMDG8-2½*	219,1 x 76,1	3,75	150	563
	GMDR8-3*	GMDG8-3*	219,1 x 88,9	4,16	150	624
	GMDR8-4*	GMDG8-4*	219,1 x 114,3	6,10	135	824

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 114,3mm / 165,1mm / 168,3mm / 219,1mm.

GROOVED PRODUCTS

GROOVED ELBOW 11,25°



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GB11R1¼*	GB11G1¼*	42,4	0,26	1728	449
	GB11R1½*	GB11G1½*	48,3	0,28	1728	484
	GB11R2	GB11G2*	60,3	0,42	1600	640
	GB11R2½	GB11G2½*	76,1	0,71	1040	749
	GB11R3	GB11G3*	88,9	0,72	624	468
	GB11R4	GB11G4*	114,3	1,24	330	413
	GB11R5*	GB11G5*	139,7	1,72	126	229
	GB11R6	GB11G6*	168,3	2,68	126	338
	GB11R8	GB11G8*	219,1	3,88	74	259

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 165,1mm.

GROOVED ELBOW 22,50°



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GB22R1½*	GB22G1½*	48,3	0,26	1728	449
	GB22R2	GB22G2*	60,3	0,50	1080	540
	GB22R2½	GB22G2½*	76,1	0,91	728	662
	GB22R3	GB22G3*	88,9	1,10	448	493
	GB22R4	GB22G4*	114,3	1,65	220	363
	GB22R5*	GB22G5*	139,7	2,60	140	364
	GB22R6	GB22G6*	168,3	3,72	72	268
	GB22R8	GB22G8*	219,1	5,60	35	196
	GB22R10	GB22G10*	273,0	7,70	20	154

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 165,1mm.

GROOVED PRODUCTS

GROOVED ELBOW 45°



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GB45R1	GB45G1	33,7	0,22	2.640	581	110
	GB45R1¼	GB45G1¼	42,4	0,30	2.464	739	
	GB45R1½	GB45G1½	48,3	0,34	1.728	588	
	GB45R2	GB45G2	60,3	0,56	1.000	560	
	GB45R2½	GB45G2½	76,1	0,96	624	599	
	GB45R3	GB45G3	88,9	1,15	380	437	
	GB45R4	GB45G4	114,3	1,81	210	342	
	GB45R5	GB45G5	139,7	2,70	120	324	
	GB45R6	GB45G6	168,3	3,83	72	248	
	GB45R8	GB45G8	219,1	6,46	24	155	
	GB45R10	GB45G10	273,0	12,38	20	198	
	GB45R12	GB45G12	323,9	14,65	12	176	
	GB45R14*	GB45G14*	355,6	25,50	/	/	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 141,3mm / 165,1mm.

GROOVED ELBOW 90°



Image	Reference			General data		Full box		Cardboard box
	Red	Galva	White	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GB90R1	GB90G1	GB90W1	33,7	0,29	2.400	696	100
	GB90R1¼	GB90G1¼	GB90W1¼	42,4	0,42	1.536	645	
	GB90R1½	GB90G1½	GB90W1½	48,3	0,48	1.344	645	
	GB90R2	GB90G2	GB90W2	60,3	0,60	800	482	
	GB90R2½	GB90G2½	GB90W2½	76,1	0,85	504	428	
	GB90R3	GB90G3	GB90W3	88,9	1,13	318	359	
	GB90R4	GB90G4	GB90W4	114,3	1,85	160	296	
	GB90R5	GB90G5	GB90W5	139,7	3,01	88	278	
	GB90R6	GB90G6	GB90W6	168,3	4,75	50	238	
	GB90R8	GB90G8	GB90W8	219,1	8,18	22	180	
	GB90R10	GB90G10	GB90W10	273,0	13,37	12	161	
	GB90R12	GB90G12	GB90W12	323,9	16,87	9	141	
	GB90R14*	GB90G14*	GB90W14*	377,0	33,15	/	/	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED PRODUCTS

GROOVED REDUCING ELBOW 90° ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GBD90R1¼-½	GBD90G1¼-½	42,4	0,35	1536	538
	GBD90R1¼-¾	GBD90G1¼-¾	42,4	0,40	1536	614
	GBD90R1¼-1	GBD90G1¼-1	42,4	0,40	1536	614
	GBD90R1½-½	GBD90G1½-½	48,3	0,40	1344	538
	GBD90R1½-¾	GBD90G1½-¾	48,3	0,42	1344	564
	GBD90R1½-1	GBD90G1½-1	48,3	0,48	1344	645
	GBD90R2-½	GBD90G2-½	60,3	0,38	800	304
	GBD90R2-¾	GBD90G2-¾	60,3	0,41	800	328
	GBD90R2-1	GBD90G2-1	60,3	0,60	800	480

DRAIN ELBOW 90° ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	2601R2-1	2601G2-1	60,3	0,87	/	/
	2601R2½-1	2601G2½-1	76,1	1,24	450	558
	2601R3-1	2601G3-1	88,9	1,94	/	/
	2601R4-1	2601G4-1	114,3	2,45	/	/
	2601R6-1	2601G6-1	165,1	6,55	/	/

GROOVED PRODUCTS

GROOVED EQUAL TEE



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GTR1	GTG1	33,7	0,40	1560	655	65
	GTR1¼	GTG1¼	42,4	0,60	1092	655	
	GTR1½	GTG1½	48,3	0,71	768	576	
	GTR2	GTG2	60,3	0,92	600	612	
	GTR2½	GTG2½	76,1	1,45	350	462	
	GTR3	GTG3	88,9	1,82	192	328	
	GTR4	GTG4	114,3	2,57	110	273	
	GTR5	GTG5	139,7	4,63	64	304	
	GTR6	GTG6	168,3	6,40	44	279	
	GTR8	GTG8	219,1	12,35	18	194	
	GTR10	GTG10	273,0	17,40	8	135	
	GTR12	GTG12*	323,9	23,50	5	126	
	GTR14*	GTG14*	355,6	49,30	/	/	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED EQUAL CROSS ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GCR2	GCG2	60,3	1,20	300	360
	GCR2½	GCG2½	76,1	1,90	/	/
	GCR3	GCG3	88,9	2,00	/	/
	GCR4	GCG4	114,3	3,55	96	341
	GCR5	GCGG5	139,7	5,20	/	/
	GCR6	GCG6	168,3	7,75	/	/
	GCR8	GCG8	219,1	13,15	/	/
	GCR10	GCG10	273,0	21,20	/	/
	GCR12	GCG12	323,9	32,50	/	/

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED PRODUCTS

GROOVED CONCENTRIC REDUCER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GRCR1¼-1*	GRCG1¼-1*	42,4 - 33,7	0,32	1728	588
	GRCR1½-1*	GRCG1½-1*	48,3 - 33,7	0,35	1728	605
	GRCR1½-1¼	GRCG1½-1¼	48,3 - 42,4	0,42	1728	708
	GRCR2-1*	GRCG2-1*	60,3 - 33,7	0,40	1260	504
	GRCR2-1¼*	GRCG2-1¼*	60,3 - 42,4	0,38	1260	542
	GRCR2-1½	GRCG2-1½	60,3 - 48,3	0,42	1260	542
	GRCR2½-1*	GRCG2½-1*	76,1 - 33,7	0,50	1260	630
	GRCR2½-1¼*	GRCG2½-1¼*	76,1 - 42,4	0,50	1731	866
	GRCR2½-1½	GRCG2½-1½	76,1 - 48,3	0,50	1731	866
	GRCR2½-2	GRCG2½-2	76,1 - 60,3	0,53	1260	693
	GRCR3-1¼*	GRCG3-1¼*	88,9 - 42,4	0,54	756	454
	GRCR3-1½*	GRCG3-1½*	88,9 - 48,3	0,54	756	469
	GRCR3-2	GRCG3-2	88,9 - 60,3	0,64	1053	674
	GRCR3-2½	GRCG3-2½	88,9 - 76,1	0,69	846	609
	GRCR4-1¼*	GRCG4-1¼*	114,3 - 42,4	0,88	616	554
	GRCR4-1½*	GRCG4-1½*	114,3 - 48,3	0,88	616	554
	GRCR4-2	GRCG4-2	114,3 - 60,3	1,08	616	659
	GRCR4-2½	GRCG4-2½	114,3 - 76,1	0,96	490	510
	GRCR4-3	GRCG4-3	114,3 - 88,9	1,10	490	578
	GRCR5-2	GRCG5-2	139,7 - 60,3	1,44	378	548
GRCR5-2½	GRCG5-2½	139,7 - 76,1	1,55	378	605	
GRCR5-3	GRCG5-3	139,7 - 88,9	1,56	471	801	
GRCR5-4	GRCG5-4	139,7 - 114,3	1,71	280	476	
GRCR6-2*	GRCG6-2*	168,3 - 60,3	2,50	254	445	
GRCR6-2½*	GRCG6-2½*	168,3 - 76,1	2,15	254	445	
GRCR6-3	GRCG6-3	168,3 - 88,9	1,90	293	615	
GRCR6-4	GRCG6-4	168,3 - 114,3	2,05	293	689	
GRCR6-5	GRCG6-5	168,3 - 139,7	2,48	254	610	
GRCR8-2½*	GRCG8-2½*	219,1 - 76,1	3,30	176	607	
GRCR8-3*	GRCG8-3*	219,1 - 88,9	3,38	176	595	
GRCR8-4*	GRCG8-4*	219,1 - 114,3	3,55	176	572	
GRCR8-5*	GRCG8-5*	219,1 - 139,7	3,52	176	620	
GRCR8-6	GRCG8-6	219,1 - 168,3	3,30	170	587	
GRCR10-4*	GRCG10-4*	273,0 - 114,3	6,60	56	316	
GRCR10-5*	GRCG10-5*	273,0 - 139,7	6,40	56	358	
GRCR10-6*	GRCG10-6*	273,0 - 168,3	6,40	56	325	
GRCR10-8*	GRCG10-8*	273,0 - 219,1	7,00	56	328	
GRCR12-4*	GRCG12-4*	323,9 - 114,3	7,80	42	328	
GRCR12-6*	GRCG12-6*	323,9 - 168,3	10,06	42	318	
GRCR12-8*	GRCG12-8*	323,9 - 219,1	9,30	42	351	
GRCR12-10*	GRCG12-10*	323,9 - 273,0	10,10	42	305	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container:
73mm / 88,9mm / 114,3mm / 141,3mm / 165,1mm / 168,3mm / 219,1mm / 273mm / 323,9mm.

GROOVED PRODUCTS

THREADED CONCENTRIC REDUCER ONLY AVAILABLE IN CONTAINER





Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GRCDR1¼-1	GRCDG1¼-1	42,4 - 33,7	0,43	1728	743
	GRCDR1½-1	GRCDG1½-1	48,3 - 33,7	0,43	1728	743
	GRCDR1½-1¼	GRCDG1½-1¼	48,3 - 42,4	0,43	1728	743
	GRCDR2-1	GRCDG2-1	60,3 - 33,7	0,45	1120	504
	GRCDR2-1¼	GRCDG2-1¼	60,3 - 42,4	0,45	1120	504
	GRCDR2-1½	GRCDG2-1½	60,3 - 48,3	0,55	1120	616
	GRCDR2½-1	GRCDG2½-1	76,1 - 33,7	0,55	1731	952
	GRCDR2½-1¼	GRCDG2½-1¼	76,1 - 42,4	0,55	1120	616
	GRCDR2½-1½	GRCDG2½-1½	76,1 - 48,3	0,58	1120	650
	GRCDR2½-2	GRCDG2½-2	76,1 - 60,3	0,78	1120	874
	GRCDR3-1	GRCDG3-1	88,9 - 33,7	0,65	1053	684
	GRCDR3-1¼	GRCDG3-1¼	88,9 - 42,4	0,68	1053	716
	GRCDR3-1½	GRCDG3-1½	88,9 - 48,3	0,63	1053	663
	GRCDR3-2	GRCDG3-2	88,9 - 60,3	0,80	792	634
	GRCDR3-2½	GRCDG3-2½	88,9 - 76,1	0,96	756	726
	GRCDR4-1	GRCDG4-1	114,3 - 33,7	0,90	616	554
	GRCDR4-1¼	GRCDG4-1¼	114,3 - 42,4	0,90	616	554
	GRCDR4-1½	GRCDG4-1½	114,3 - 48,3	0,90	616	554
	GRCDR4-2	GRCDG4-2	114,3 - 60,3	1,08	616	665
GRCDR4-2½	GRCDG4-2½	114,3 - 76,1	1,10	490	539	
GRCDR4-3	GRCDG4-3	114,3 - 88,9	1,24	490	608	
GRCDR5-1	GRCDG5-1	139,7 - 33,7	1,48	378	559	
GRCDR5-1¼	GRCDG5-1¼	139,7 - 42,4	1,45	378	548	
GRCDR5-1½	GRCDG5-1½	139,7 - 48,3	1,45	378	548	
GRCDR5-2	GRCDG5-2	139,7 - 60,3	1,55	378	586	
GRCDR5-2½	GRCDG5-2½	139,7 - 76,1	1,62	378	612	
GRCDR5-3	GRCDG5-3	139,7 - 88,9	1,62	378	612	
GRCDR5-4	GRCDG5-4	139,7 - 114,3	2,25	378	851	
GRCDR6-1	GRCDG6-1	168,3 - 33,7	1,80	353	635	
GRCDR6-1¼	GRCDG6-1¼	168,3 - 42,4	2,00	353	706	
GRCDR6-1½	GRCDG6-1½	168,3 - 48,3	2,00	353	706	
GRCDR6-2	GRCDG6-2	168,3 - 60,3	2,20	353	777	
GRCDR6-2½	GRCDG6-2½	168,3 - 76,1	2,15	353	759	
GRCDR6-3	GRCDG6-3	168,3 - 88,9	2,10	353	741	
GRCDR6-4	GRCDG6-4	168,3 - 114,3	2,20	353	777	
GRCDR8-1	GRCDG8-1	219,1 - 33,7	3,18	170	541	
GRCDR8-1¼	GRCDG8-1¼	219,1 - 42,4	3,15	170	536	
GRCDR8-1½	GRCDG8-1½	219,1 - 48,3	3,15	170	536	
GRCDR8-2	GRCDG8-2	219,1 - 60,3	3,26	170	554	
GRCDR8-2½	GRCDG8-2½	219,1 - 76,1	3,50	170	595	
GRCDR8-3	GRCDG8-3	219,1 - 88,9	3,35	170	570	
GRCDR8-4	GRCDG8-4	219,1 - 114,3	3,85	170	655	

The following sizes are also available on request, in container:
73mm / 88,9mm / 114,3mm / 141,3mm / 165,1mm / 168,3mm / 219,1mm.

GROOVED PRODUCTS

GROOVED REDUCING TEE ONLY AVAILABLE IN CONTAINER





Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GRTR2-1	GRTG2-1	60,3x33,7	0,80	600	480
	GRTR2-1¼	GRTG2-1¼	60,3x42,4	0,95	600	570
	GRTR2-1½	GRTG2-1½	60,3x48,3	0,95	600	570
	GRTR2½-1¼	GRTG2½-1¼	76,1x42,4	1,25	350	438
	GRTR2½-1½	GRTG2½-1½	76,1x48,3	1,35	350	473
	GRTR2½-2	GRTG2½-2	76,1x60,3	1,43	350	501
	GRTR3-1¼	GRTG3-1¼	88,9x42,4	1,65	192	317
	GRTR3-1½	GRTG3-1½	88,9x48,3	1,65	192	317
	GRTR3-2	GRTG3-2	88,9x60,3	1,62	192	311
	GRTR3-2½	GRTG3-2½	88,9x76,1	1,85	252	466
	GRTR4-2	GRTG4-2	114,3x60,3	2,20	110	275
	GRTR4-2½	GRTG4-2½	114,3x76,1	2,65	110	292
	GRTR4-3	GRTG4-3	114,3x88,9	2,60	110	286
	GRTR5-2	GRTG5-2	139,7x60,3	4,56	64	292
	GRTR5-2½	GRTG5-2½	139,7x76,1	3,70	64	292
	GRTR5-3	GRTG5-3	139,7x88,9	4,60	64	237
	GRTR5-4	GRTG5-4	139,7x114,3	4,50	64	294
	GRTR6-2	GRTG6-2	168,3x60,3	5,75	44	253
	GRTR6-2½	GRTG6-2½	168,3x76,1	6,20	44	273
	GRTR6-3	GRTG6-3	168,3x88,9	6,45	44	284
GRTR6-4	GRTG6-4	168,3x114,3	6,15	44	271	
GRTR6-5	GRTG6-5	168,3x139,7	6,50	44	286	
GRTR8-2½	GRTG8-2½	219,1x76,1	10,00	18	194	
GRTR8-3	GRTG8-3	219,1x88,9	10,10	18	198	
GRTR8-4	GRTG8-4	219,1x114,3	12,00	18	216	
GRTR8-5	GRTG8-5	219,1x139,7	10,45	18	225	
GRTR8-6	GRTG8-6	219,1x168,3	11,55	18	214	
GRTR10-4	GRTG10-4	273,0x114,3	15,55	8	127	
GRTR10-6	GRTG10-6	273,0x168,3	15,50	8	124	
GRTR10-8	GRTG10-8	273,0x219,1	18,50	8	148	
GRTR12-4	GRTG12-4	323,9x114,3	22,00	5	110	
GRTR12-6	GRTG12-6	323,9x168,3	22,26	5	111	
GRTR12-8	GRTG12-8	323,9x219,1	22,55	5	113	
GRTR12-10	GRTG12-10	323,9x273,0	22,50	5	113	

The following sizes are also available on request, in container:
73mm / 88,9mm / 114,3mm / 141,3mm / 165,1mm / 168,3mm / 219,1mm / 273mm / 323,9mm.

GROOVED PRODUCTS

THREADED REDUCING TEE ONLY AVAILABLE IN CONTAINER



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GRTDR2-1	GRTDG2-1	60,3 - 33,7	0,93	600	558
	GRTDR2-1¼	GRTDG2-11/4	60,3 - 42,4	0,96	600	576
	GRTDR2-1½	GRTDG2-1½	60,3 - 48,3	0,95	600	570
	GRTDR2½-1	GRTDG21/2-1	76,1 - 33,7	1,25	350	438
	GRTDR2½-1¼	GRTDG2½-1¼	76,1 - 42,4	1,35	350	473
	GRTDR2½-1½	GRTDG2½-1½	76,1 - 48,3	1,36	350	476
	GRTDR2½-2	GRTDG21/2-2	76,1 - 60,3	1,35	350	483
	GRTDR3-1	GRTDG3-1	88,9 - 33,7	1,72	192	330
	GRTDR3-1¼	GRTDG3-1¼	88,9 - 42,4	1,75	192	336
	GRTDR3-1½	GRTDG3-11/2	88,9 - 48,3	1,75	192	336
	GRTDR3-2	GRTDG3-2	88,9 - 60,3	1,70	192	361
	GRTDR3-2½	GRTDG3-2½	88,9 - 76,1	1,85	192	380
	GRTDR4-1	GRTDG4-1	114,3 - 33,7	2,20	110	242
	GRTDR4-1¼	GRTDG4-11/4	114,3 - 42,4	2,30	110	253
	GRTDR4-1½	GRTDG4-1½	114,3 - 48,3	2,31	110	254
	GRTDR4-2	GRTDG4-2	114,3 - 60,3	2,08	110	229
GRTDR4-2½	GRTDG4-2½	114,3 - 76,1	1,90	110	297	
GRTDR5-1¼	GRTDG5-1¼	139,7 - 42,4	4,50	64	288	
GRTDR5-1½	GRTDG5-11/2	139,7 - 48,3	4,50	64	288	
GRTDR5-2	GRTDG5-2	139,7 - 60,3	3,65	64	234	
GRTDR5-2½	GRTDG5-21/2	139,7 - 76,1	3,83	64	245	
GRTDR5-3	GRTDG5-3	139,7 - 88,9	3,86	64	247	
GRTDR6-1½	GRTDG6-1½	168,3 - 48,3	5,77	44	254	
GRTDR6-2	GRTDG6-2	168,3 - 60,3	4,85	44	213	
GRTDR6-2½	GRTDG6-21/2	168,3 - 76,1	10,00	44	264	
GRTDR6-3	GRTDG6-3	168,3 - 88,9	8,55	44	264	
GRTDR8-2	GRTDG8-2	219,1 - 60,3	10,68	8	85	
GRTDR8-2½	GRTDG8-2½	219,1 - 76,1	11,53	8	92	
GRTDR8-3	GRTDG8-3	219,1 - 88,9	9,90	8	79	
GRTDR8-4	GRTDG8-4	219,1 - 114,3	14,00	8	112	

The following sizes are also available on request, in container:
73mm / 88,9mm / 114,3mm / 141,3mm / 165,1mm / 168,3mm / 219,1mm.

GROOVED PRODUCTS

GROOVED END CAP



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GER1	GEG1	33,7	0,10	10000	1000	250
	GER1¼	GEG1¼	42,4	0,14	6600	858	165
	GER1½	GEG1½	48,3	0,17	4400	704	120
	GER2	GEG2	60,3	0,24	3200	800	80
	GER2½	GEG2½	76,1	0,36	1800	648	45
	GER3	GEG3	88,9	0,43	1800	756	
	GER4	GEG4	114,3	0,67	1080	756	
	GER5	GEG5	139,7	1,13	640	749	
	GER6	GEG6	168,3	1,50	532	825	
	GER8	GEG8	219,1	2,94	285	855	
	GER10	GEG10	273,0	5,80	136	809	
	GER12*	GEG12*	323,9	6,00	136	1031	

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED END CAP WITH ECCENTRIC HOLE, THREADED BSPT OUTLET



Image	Reference		General data		Full box		Cardboard box
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg	Pcs/box
	GER2-1	GEG2-1	60,3 - 33,7	0,29	3200	992	80
	GER2-1¼*	GEG2-1¼*	60,3 - 42,4	0,33	2750	908	
	GER2-1½	GEG2-1½	60,3 - 48,3	0,18	3200	640	80
	GER2½-1	GEG2½-1	76,1 - 33,7	0,40	1800	684	80
	GER2½-1¼	GEG2½-1¼	76,1 - 42,4	0,40	1800	720	45
	GER2½-1½	GEG2½-1½	76,1 - 48,3	0,39	1800	720	45
	GER2½-2	GEG2½-2	76,1 - 60,3	0,28	1800	504	45
	GER3-1	GEG3-1	88,9 - 33,7	0,56	1352	784	
	GER3-1¼	GEG3-1¼	88,9 - 42,4	0,56	1352	676	
	GER3-1½	GEG3-1½	88,9 - 48,3	0,51	1560	858	
	GER3-2	GEG3-2	88,9 - 60,3	0,52	1560	842	
	GER4-1¼*	GEG4-1¼*	114,3 - 42,4	0,92	880	810	
	GER4-1½*	GEG4-1½*	114,3 - 48,3	0,92	880	810	
	GER4-2	GEG4-2	114,3 - 60,3	0,89	900	873	
	GER5-2	GEG5-2	139,7 - 60,3	1,24	640	800	
	GER6-2	GEG6-2	168,3 - 60,3	1,76	448	780	
GER8-2	GEG8-2	219,1 - 60,3	3,13	255	803		

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED PRODUCTS

GROOVED ADAPTER FLANGE



Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GAF16R2	GAF16G2	60,3	1,34	490	686
	GAF16R2½	GAF16G2½	76,1	1,69	324	535
	GAF16R3	GAF16G3	88,9	2,13	280	554
	GAF16R4	GAF16G4	114,3	2,47	216	540
	GAF16R5	GAF16G5	139,7	3,30	135	452
	GAF16R6	GAF16G6	168,3	4,48	108	486
	GAF16R8	GAF16G8	219,1	5,88	56	330
	GAF16R10*	GAF16G10*	273,0	10,35	42	504
	GAF16R12*	GAF16G12*	323,9	12,40	25	338

* ONLY AVAILABLE IN CONTAINER

The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED SPLIT ADAPTER FLANGE





Image	Reference		General data		Full box	
	Red	Galva	Size mm	Weight/pc kg	Pcs	Weight kg
	GSF16R2	GSF16G2*	60,3	1,64	480	787
	GSF16R2½	GSF16G2½*	76,1	2,11	420	907
	GSF16R3	GSF16G3*	88,9	2,54	324	816
	GSF16R4	GSF16G4*	114,3	2,60	300	795
	GSF16R5*	GSF16G5*	139,7	2,87	153	494
	GSF16R6	GSF16G6*	168,3	4,19	168	575
	GSF16R8	GSF16G8*	219,1	5,61	114	684

* ONLY AVAILABLE IN CONTAINER



The following sizes are also available on request, in container: 73mm / 141,3mm / 165,1mm.

GROOVED PRODUCTS

GROOVED THREADED ADAPTER, MALE THREAD BSPT


Image	Reference		General data		Full box	
	Black uncoated	Zinc electroplated	Size mm	Weight/pc kg	Pcs	Weight kg
	NGA1-BLACK	NGA1-GALVA	33,7	0,15	88	13,02
	NGA1¼-BLACK	NGA1¼-GALVA	42,4	0,27	56	15,65
	NGA1½-BLACK	NGA1½-GALVA	48,3	0,32	42	13,70
	NGA2-BLACK	NGA2-GALVA	60,3	0,37	50	18,85
	NGA2½-BLACK	NGA2½-GALVA	76,1	0,63	32	20,45
	NGA3-BLACK	NGA3-GALVA	88,9	0,82	24	18,95
	NGA4-BLACK	NGA4-GALVA	114,3	1,02	12	12,55

GROOVED THREADED ADAPTER, FEMALE THREAD BSPT


Image	Reference		General data		Full box	
	Black uncoated	Zinc electroplated	Size mm	Weight/pc kg	Pcs	Weight kg
	SGA1-BLACK	SGA1-GALVA	33,7	0,26	72	18,85
	SGA1¼-BLACK	SGA1¼-GALVA	42,4	0,50	42	21,40
	SGA1½-BLACK	SGA1½-GALVA	48,3	0,57	35	20,30
	SGA2-BLACK	SGA2-GALVA	60,3	0,73	20	14,90
	SGA2½-BLACK	SGA2½-GALVA	76,1	1,08	12	13,40
	SGA3-BLACK	SGA3-GALVA	88,9	1,26	9	11,50
	SGA4-BLACK	SGA4-GALVA	114,3	1,62	12	19,75

ACCESSORIES


LUBRICANT • SUPER GLIDEX -30

Image	Reference	General data				
		Packaging	Pieces/box	Box dimensions cm	Pieces/pallet	Pallet dimensions cm
	Super Glidex-30 175gr	Tube	12	16 x 20 x 26	/	120 x 80 x /
	Super Glidex-30 1000gr	Pot	6	40,5 x 27,5 x 14,5	336	120 x 80 x /

LUBRICANT • PROLUBE XTREME


Image	Reference	General data				
		Packaging	Pieces/box	Box dimensions cm	Pots/pallet	Pallet dimensions cm
	Prolube Xtreme 900gr	Pot	6	40,5 x 27,5 x 14,5	/	120 x 80 x /

GROOVE METER


Image	Reference	General data			
		Pieces/box	Box dimensions cm		
	Groove meter	5	7,5 x 5 x 5		

GLOVES • SIZE 11

CE


Image	Reference	General data			
		Pairs/bag	Bags/box	Pairs/box	Box dimensions cm
	Gloves size 11	12	10	120	26 x 26 x 47

CENTER PUNCH TOOL

Image	Reference	General data		
		Pieces/box	Box dimensions cm	
	CP tool	1	17,5 x 11 x 6,5	

PRESSURE GAUGE



Image	Reference	General data		
		Weight kg	Pieces/box	Box dimensions cm
	PG/0-25-1/4"-FM	0,19	60	58 x 27 x 22

Profit, fitting your needs



Piping Logistics BV
Industriezone Zuid III
Industrielaan 27
9320 Erembodegem
Belgium

T: +32 (0)53 64 51 00

info@profittings.eu
www.profittings.eu